



DUCK

DUCK FAT

Top quality duck fat from fresh meat: intestines, heads and feet.
Excellent raw material with a high protein content for cat and dog food and for aquaculture.

NUTRITIONAL CHARACTERISTICS

Duck fat is an excellent source of top quality protein, with a high biological value and source of minerals and Vitamin A.

PHYSICAL AND ORGANOLEPTIC CHARACTERISTIC

Colour: from golden yellow to light brown.

Fragrance: fresh, without any rancid smell.

TECHNICAL SPECIFICATIONS

Total volatile acid	<0.50%
FFA	<5.00%
Peroxides (PV)	<5.00 meq O ₂ /kg
Saponification capacity	> 99.00%
Iodine value	85.00%
Melting point	>18°C
Load temperature	60-70°C

ACIDOGRAM FATTY ACIDS

Lauric acid (C 12:0)	1.90%
Myristic acid (C 14:0)	1.50%
Palmitic acid (C16:0)	20.80%
Palmitoleic acid (C16:1)	4.40%
Stearic acid (C18:0)	5.50%
Oleic acid (C18:1)	42.00%
Linoleic acid (C18:2)	20.40%
Linoleic a-acid (C18.3)	2.10%
Arachidonic acid (C20:4)	0.70%

MICROBIOLOGICAL CHARACTERISTICS

Salmonella	Absence / 25g
Enterobacteriaceae	< 10g/l



DUCK

DUCK FAT

CONTAMINATIONS

No pesticides, lumps, insects or other foreign bodies.

ANTI-OXIDANTS

Addition of natural or synthetic anti-oxidants on request.
No added Ethoxyquin (E 324).

MANUFACTURING AND PACKAGING

1000 kg Big bags.

STORAGE

Keep in a cool, dry place out of direct sunlight (+ 12-18° C).

LEGISLATION

It is classified as a "category 3 food".
Regulation (EC) No. 1069/2009, 999/2001, 142/2011 and amendments.

EXPIRY DATE

6 months from the date of production.

The analytical data are indicative and may vary negligibly, depending on the production lot.

The analytical data of the product ordered is given in the contract at the consumer's request.